INDEX.

Air-Bubble Viscometer, 429-432
Alberta, Oil and Gas in, 1927, 671-676
Amylene, Aniline Point of, 714
  Iodine Number of, 718
Analysis of Oil, Progress in 1927, 640-643
Aniline Point Test, Applications of, 446-476
Aniline Points, Properties of, 447-448
Annual Dinner, Rumanian Branch, First, Speeches at, 142-147
  Tenth, Speeches at, 681-694
Annual General Meeting, Fifteenth, 273-281
Annual Report, Rumanian Branch, 1927, 139-141
Annual Report of Council, 1927, 265-272
Anti-Knock, Progress in 1927, 661-669
Anti-Knock Compounds, Origination of, 185-186
Aromatic Hydrocarbons, Vapour-phase Oxidation of, 108-114
Aromatics, Isolation Method, 448-452
  Properties of, 464-466
Aromatics in Cracked Spirits, Determination of, 695-732
Asphalt, Relation of Micelle to Medium, 134-138
  Surface Tension of, 136
  Progress in 1927, 632-637
Assam, Oilfield, Structural Features of, 44-51
Atakpo Valley, Nigeria, Lignite Analyses, 494
Autovac Deposit, Analysis of, 128

Barbados, Progress in 1927, 679
Base Exchange, Bearing on Genesis of Petroleum, 825-840
  Phenomenon of, 827-828
Bayer Charcoal Process, 296-317
Benzene, Distillation of, 99
Benzene-Air Mixtures, Flame Characteristics of, 179-180
Benzene-Toluene, Distillation of, 100
Berginisation, Progress in 1927, 643-647
  of Coal, 71-73, 78-93
Bingham Viscometer, 432-433
Borneo, Oilfield, Structural Features of, 51
Borneo Asphalt, Surface Tension of, 136
British West Indies, Progress in 1927, 676-679
Burma, Oilfield, Structural Features of, 44-51
  Petroleum Fractions, Composition of, 446-476
Butane, Viscosity of, 235
Butyl Cyclopentane, Aniline point of, 714
5-Butyl Nonane, Physical Properties of, 487
Butylene, Iodine Number of, 718

Calcium Clay, Properties of, 830
California, Drilling in, 854-858
Canada, Motor Cars in, 512
  Oil and Gas in 1927, 669-676
Cetene, Aniline Point of, 714
  Iodine Number of, 721
Charcoal, Activated, Structure of, 300
Chemistry of Petroleum, Present and Future Aspects, 738-755
  Progress in 1927, 505-510
Coal, Berginisation of, 78-93
  Gas Reactions, 73
  Hydrogeneration of, 71-73, 78-93
  Low-temperature Carbonisation, 67-71
Coal Tar, Refined, Surface Tension of, 136
Congres de Chimie Industrielle, Eighth, 859-860
Coring Practice, 735-736
Cracked Spirits, Analysis of, 695-732
  Sulphuric Acid Action on, 706-708
Cracking of Oil, Catalytic, Progress in 1927, 596-602
  Corrosion of Equipment, Progress in 1927, 602-603
  Liquid Phase, Fundamental Factors of, 761-767
  Liquid-vapour Phase, Progress in 1927, 564-591
  Progress in 1927, 558-621
  Vapour Phase, Progress in 1927, 591-596
Crank-Case Deposits, Analyses of, 127, 130
Crooked Holes, Little River Field, Oklahoma, 148
Cyclohexane, Aniline Point of, 714
  Physical Properties of, 488

Cyclohexyl Cyclohexane, Aniline Point of, 714
3-Cyclohexyl 3-Ethyl Pentane, Physical Properties of, 488
2-Cyclohexyl 2-Methyl Butane, Physical Properties of, 488
3-Cyclohexyl 3-Methyl Hexane, Physical Properties of, 488
3-Cyclohexyl 2-Methyl Pentane, Physical Properties of, 488
3-Cyclohexyl 3-Methyl Pentane, Physical Properties of, 488
Cyclopentane, Aniline Point of, 714
Physical Properties of, 488

Decahydronaphthalene, Aniline Point of, 714
Decane, Aniline Point of, 713
n-Decane, Physical Properties of, 487
n-Decylene, Iodine Number of, 718
Dekalin, Physical Properties of, 488
Detonation, Cylinder Size Effect, 10
Mechanical Design in Relation to, 2-26
Turbulence Influence on, 8-10
aa-Dicyclohexylethane, Physical Properties of, 488
1.3-Diethyl Cyclohexane, Physical Properties of, 488
Diethylmethyl Cyclobutane, Physical Properties of, 488
Diisoamyl, Aniline Point of, 713
2.2-Dimethyl Butane, Physical Properties, 487
2.3-Dimethyl Butane, Physical Properties of, 487
1.1-Dimethyl Cyclohexane, Physical Properties of, 488
1.2-Dimethyl Cyclohexane, Aniline Point of, 714
Physical Properties of, 488
1.3-Dimethyl Cyclohexane, Aniline Point of, 714
Physical Properties of, 488
1.4-Dimethyl Cyclohexane, Aniline Point of, 714
Physical Properties of, 488
1.1-Dimethyl Cyclopentane, Physical Properties of, 488
1.2-Dimethyl Cyclopentane, Physical Properties of, 488
1.3-Dimethyl Cyclopentane, Aniline Point of, 714
5.6-Dimethyl Decane, Physical Properties of, 487
3.3-Dimethyl Dicyclohexane, Physical Properties of, 488
1.3-Dimethyl 5-Ethyl Cyclohexane, Physical Properties of, 488
2.4-Dimethyl Heptane, Physical Properties of, 487
2.5-Dimethyl Heptane, Physical Properties of, 487
2.6-Dimethyl Heptane, Physical Properties of, 487
2.3-Dimethyl Hexane, Physical Properties of, 487
2.4-Dimethyl Hexane, Physical Properties of, 487
2.5-Dimethyl Hexane, Physical Properties of, 487
3.4-Dimethyl Hexane, Physical Properties of, 487
2.6-Dimethyl Octane, Physical Properties of, 487
2.7-Dimethyl Octane, Physical Properties of, 487
2.2-Dimethyl Pentane, Physical Properties of, 487
2.4-Dimethyl Pentane, Physical Properties of, 487
3.3-Dimethyl Pentane, Physical Properties of, 487
Distillates, Cracked, Treatment Progress in 1927, 603-610
Heavy, Progress in 1927, 632-637
Petroleum, Vapour-phase Oxidation of, 108-114
Distillation, Fractional, Thermometric Lag in, 94-105
High-vacuum, Kœnigsfeld System, 621-632
Tube-still, 388-401
n-Do-decane, Physical Properties of, 487
Drilling, Doheny-Stone Hydraulic Feed Method, 855-858
Dry Hole Method, 854-855
Pneumatic Method, 855

East Indies, Oilfields, Structural Features of, 51
Emba Crude Oil, Refining of, 330-350
Engine Knock, Progress in 1927, 656-661
Engines, Internal Combustion, Mechanical Design and Detonation, 2-26
Internal Combustion, Lubricants and Lubrication, 115-133
Oil, Progress in 1927, 650-655
England, Hardstoft Wells, 357-387
Ethane, Viscosity of, 235
Ether-Isopropyl Alcohol, Distillation of, 100
Ethyl Cyclobutane, Physical Properties of, 488

Ethyl Cyclohexane, Physical Properties of, 488
Ethyl Cyclopentane, Aniline Point of, 714
4-Ethyl Heptane, Physical Properties of, 487
3-Ethyl Hexane, Physical Properties of, 487
5-Ethyl Nonane, Physical Properties of, 487
3-Ethyl Pentane, Physical Properties of, 487
Europe, Refining in, Progress in 1927, 526-536

Fire, Causes and Prevention of in the Petroleum Industry, 154-173
Flame Characteristics, "Pinking" and "Non-Pinking" Fuels, 175-189
Flow Formula, 192-196, 218-221, 222-227, 236-264
Foam, Fire Extinguisher, 163-164
Folds, Geological, Origin of, 32-37
France, Le Havre Ocean Installation, 281-295
Motor Cars in, 512
Fuel Oils, Progress in 1927, 632-637
Fuels, Liquid, from Carbon Monoxide and Hydrogen, 647-649
from Methane and Gases, 649-650
Other than Petroleum, 64-77
Fuels, Motor, Densities of, 407
Fluidities of, 407
Kinematic Fluidities of, 408
Progress in 1927, 610
Viscosities of, 406-413
"Pinking" and "Non-Pinking," Flame Characteristics of, 175-189
Fuels, Synthetic, Progress in 1927, 643-650

Gas, Combustion of, 202
Flow Formulæ, 192-196, 218-221, 222-227, 236-264
Measurement of, 192-196
Flowing, Measurement of, 227-235
Gas, Natural, Absorption process, 206-214
Exploitation Problems, 190-221
Extraction of Condensable Hydrocarbons, 203-214
Production Duration, 196-199
Solubility Constant, 198-199
Viscosities of, 235
Sulphurous, Use as Fuel, 199-202
Gas-Oil Separation, 190-191
Gas Reactions, Coal, 73
Gases, Natural, Gasoline Recovery, 296-317
Viscosity-temperature Charts, 260
Gasoline, Recovery from Gases, 296-317
Genesis of Petroleum, Bearing of Base Exchange, 825-840
Germany, Motor Cars in, 512

Hardstoft, Derbyshire, Crude Oil, Analyses of, 358
Geology of, 361-362
Oil Wells and Developments at, 357-387
Origin of Oil, 373-374
Heptadecane, Physical Properties of, 487
Heptane, Aniline Point of, 713
Distillation of, 99
Viscosity of, 235
n-Heptane, Physical Properties of, 487
Heptylene, Aniline Point of, 714
Iodine Number of, 721
n-Heptylene, Iodine Number of, 718
Hexadecane, Aniline Point of, 713
Physical Properties of, 487
Hexane, Aniline Point of, 713
Viscosity of, 235
n-Hexane, Physical Properties of, 487
Hexylene, Aniline Point of, 714
Iodine Number of, 721
n-Hexylene, Iodine Number of, 718
Hydrogenation of Coal, 71-73, 78-93

India, North-West, Oilfield, Structural Features of, 41-44
Insecticides, Progress in 1927, 638-639
Isobutyl Cyclohexane, Physical Properties of, 488
Isohexene, Aniline Point of, 714
Isopentane, Physical Properties of, 487
Isopropyl Alcohol-Ether, Distillation of, 100
Isopropyl Cyclohexane, Physical Properties of, 488
1-Isopropyl 2-Methyl Cyclohexane, Physical Properties of, 488
1-Isopropyl 3-Methyl Cyclohexane, Physical Properties of, 488

1-Isopropyl 4-Methyl Cyclohexane, Physical Properties of, 488

Java, Oilfield, Structural Features of, 51

Kerosine, Hydrocarbons in, Rules for Determination of, 471-473
Standard, Preparation of, 477-492
Kerosine Fractions, Composition of, 446-476
Kœnigsfeld High-Vacuum Distillation, 621-632

Le Havre, Ocean Installation at, 281-295
Lead Tetraethyl, Effect on Flame of Pentane-air Mixtures, 180-181
Lightning, Cause of Fires, 164
Lignite, Nigerian, Examination of, 493-501
Liquid Petroleum Products, Viscosity-temperature Charts, 259-260
Low-Temperature Carbonisation, 67-71
Lubricants, Petrol Engine, 115-133, 352
Lubricating Oil, Carbon Forming Tendency of, 128
Coal Oil, Characteristics of, 126
Mixed Base, Characteristics of, 126
Naphthene Base, Characteristics of, 126
Paraffin Base, Characteristics of, 126
Lubricating Oils, Density Changes with Heat, 417-418
Viscosity Changes with Heat, 414-417, 418-429
Viscosity of, 413-429
Lubrication, 115-124
Bearing, Variables in, 117
Boundary, 115-116, 403-404
Fluid, 116
Petrol Engine, 115-133, 352

Manitoba, Oil and Gas in 1927, 671
Mesopotamia, Oilfield, Structural Features of, 37-41
Methane, Viscosity of, 235
Methyl Alcohol, 73-75
Distillation of, 98
2-Methyl Butane, Aniline Point of, 713
Methyl Cyclobutane, Physical Properties of, 488
Methyl Cyclohexane, Aniline Point of, 714
Physical Properties of, 488
Methyl Cyclohexyl Cyclohexane, Aniline Point of, 714
Methyl Cyclopentane, Aniline Point of, 714
Physical Properties of, 488
1-Methyl 2-Ethyl Cyclohexane, Physical Properties of, 488
1-Methyl 4-Ethyl Cyclohexane, Physical Properties of, 488
1-Methyl 2-Ethyl Cyclopentane, Physical Properties of, 488
1-Methyl 3-Ethyl Cyclopentane, Physical Properties of, 488
1-Methyl 3-Ethyl 4-Isopropyl Cyclohexane, Physical Properties of, 488
Methyl Ethyl Isopropyl Methane, Aniline Point of, 713
2-Methyl 3-Ethyl Pentane, Physical Properties of, 487
2-Methyl Heptane, Physical Properties of, 487
3-Methyl Heptane, Physical Properties of, 487
4-Methyl Heptane, Physical Properties of, 487
2-Methyl Hexane, Aniline Point of, 713
Physical Properties of, 487
3-Methyl Hexane, Aniline Point of, 713
Physical Properties of, 487
1-Methyl 4-Isopropyl Cyclohexane, Aniline Point of, 714
2-Methyl Nonane, Physical Properties of, 487
3-Methyl Nonane, Physical Properties of, 487
5-Methyl Nonane, Physical Properties of, 487
4-Methyl Octane, Physical Properties of, 487
2-Methyl Pentane, Aniline Point of, 713
2-Methyl Pentane, Physical Properties of, 487
3-Methyl Pentane, Physical Properties of, 487
Methyl Propyl Ethylene, Aniline Point of, 714
Mexican Blown Asphalt, Surface Tension of, 136
Montan Pitch, Analyses of, 498
Montan Wax, Analyses of, 498, 499
Motor Fuels. *See* Fuels, Motor.
Motor Spirit, Standard, Preparation of, 477-492

Naphthenes, Aniline Points of, 714
Properties of, 466-467
Naphthenes in Cracked Spirits, Determination of, 695-732
Naphthenic Acids, Progress in 1927, 639
New Brunswick, Oil and Gas in 1927, 670
Nigerian Lignite, Examination of, 493-501
"Non-Pinking" Fuels, Flame Characteristics of, 175-189
Nonane, Aniline Point of, 713
n-Nonane, Physical Properties of, 487
n-Nonylene, Iodine Number of, 718
Nova Scotia, Oil and Gas in 1927, 670

Octadecane, Physical Properties of, 487
Octane, Aniline Point of, 713
Viscosity of, 235
n-Octane, Physical Properties of, 487
Octylene, Aniline Point of, 714
n-Octylene, Iodine Number of, 718
Oil, Flowing, Measurement of, 227-237
Oil Deposits, Commercial, Major Structural Features and, 28-63, 351
Oil Engines. *See* Engines, Oil.
Oilfield Practice, Progress in 1927, 841-853
Oilfields, Causes and Prevention of Fire, 155
Oklahoma, Drilling and Production Methods in Seminole, 783-824
Garber Field, 148
Little River Field, Crooked Holes in, 148
Okpanam, Nigeria, Lignite Analyses, 494
Olefines, Aniline Points of, 714-715
Iodine numbers of, 718
Olefines in Cracked Spirits, Determination of, 695-732
Ontario, Oil and Gas in 1927, 670-671
Oxidation, Vapour-phase, of Aromatics, 108-114
Oxidation Products, Progress in 1927, 638

Paraffin Wax, Extraction and Refining of, 328
Decomposition on Heating, 318-327
Molecular Weight Determination, 318-320
Progress in 1927, 637
Paraffin Wax—*continued.*
Rangoon, Cracking with $AlCl_3$, 756-760
Paraffins, Aniline Points of, 713
Isolation methods, 449-452
Properties of, 461-464
Paraffins in Cracked Spirits, Determination of, 695-732
Pennsylvania Crude, Tube-still Results on, 391-392
Pentadecane, Aniline Point of, 713
Physical Properties of, 487
Pentane, Aniline Point of, 713
Viscosity of, 235
n-Pentane, Physical Properties of, 487
Pentane-Air Mixtures, Flame Characteristics of, 176-179
Effect of Lead Tetraethyl on, 180-181
Persia, Oilfield, Structural Features of, 37-41
Peru, Launching of Loading Line, 768-773
Petroleum, Synthetic, 76-77
Petroleum Distillates, Examination of, 477-492
Petroleum Fractions, Composition of, 446-476
125-300° C., Properties of, 470-471
Petroleum Spirit, Distillation of, 100-101
Pinking, Suppression of, 180
"Pinking" Fuels, Flame Characteristics of, 175-189
Pipe-Line, Submarine, Launching of, 768-773
Pipe-Lines, Flow and Measurement in, 222-235
Flow of Fluids in, 236-262
Prince Edward Island, Oil and Gas in 1927, 670
Propane, Viscosity of, 235
1.3-Propyl Cyclobutane, Physical Properties of, 488
n-Propyl Cyclobutane, Physical Properties of, 488
n-Propyl Cyclohexane, Physical Properties of, 488
Propyl Cyclopentane, Aniline Point of, 714
4-Propyl Decane, Physical Properties of, 487
4-Propyl Heptane, Physical Properties of, 487
5-Propyl Nonane, Physical Properties of, 487
Pumps, Centrifugal, 329
Punjab, Oilfield, Structural Features of, 41-44

Refineries, Causes and Prevention of Fire, 160-161
Refinery Technology, United States, Progress in 1927, 537-558
Refining and Refineries, Progress in 1927, 510-526
Refining in Europe, Progress in 1927, 526-536
Refractive Index Test, Applications of, 446-476
Residues, Progress in 1927, 632-637
Reviews :—
"Allgemeine Petrographie der Ölschiefer und Urer Verwandten," by Dr. R. Potonié, 353-354
"Bristol and Somerset Coalfield. The Carbonisation of 'Parker Large Gas' Coal," by Dept. Sci. Industr. Research, 863
"Chemical Encyclopædia," by C. T. Kingzett, 353
"Chemical Engineering and Chemical Catalogue," by D. M. Newitt, 354
"Coalfields of Scotland. The Carbonisation of 'Kinneil Gas' Coal," by Dept. Sci. Industr. Research, 781
"Geology of Petroleum and Natural Gas," by E. R. Lilley, 861-862
"International Temperature Scale," by G. K. Burgess, 863
"Lancashire Coalfield. The Wigan Four-Foot Seam," by Dept. Sci. Industr. Research, 151
"La Législation Français du Pétrole," by A. de Boulard, 151
"Leichte Kohlenwasserstofföle," by Dr. M. Naphtali, 149
"Lubricating Greases," by E. N. Klemgard, 150-151
"Petroleum and Its Products," by W. A. Gruse, 780
"Petroleum Boek," by De Telegraaf, 780-781
"Petroleum Development and Technology in 1927," by Amer. Inst. Min. Met., Eng., 862
"Petroleum Vade Mecum," by Ing. R. Schwarz, 354
"Reactivity of Coal. 1. Standardised Method for the Determination of Comparative Values," by J. H. Jones, J. G. King and F. S. Sinnatt, 151
"Report of Fuel Research Board for the Period ended March 31, 1928," by Dept. Sci. Industr. Research, 781
Reviews—*continued.*
"Report of Test on the Cronier Retort," by Dept. Sci. Industr. Research, 355
"Theory of Continental Drift," by Amer. Assoc. Petr. Geol., 502-503
"Theory of Emulsions and their Technical Treatment," by W. Clayton, 149-150
"Thomas Recording Gas Calorimeter," by Fuel Research Board, 503-504
"Unsaturated Hydrocarbons in the Gases from the Carbonisation of Coal," by A. B. Manning, J. G. King and F. S. Sinnatt, 151
Road Materials, Nomenclature and Testing of, 774-779
Rumania, Back-pressure Methods in Meotic Wells, 733-734
Rumanian Branch, First Annual Dinner, Speeches at, 142-147
First Annual Report, 139-141
Russia, Emba Crude Oil, Refining of, 330-350

Seminole, Oklahoma, Drilling and Production Methods, 783-824
Shelfalt, Surface Tension of, 136
Sodium Clay, Properties of, 828-830
Specific Gravity Test, Applications of, 446-476
Spramex, Surface Tension of, 136
Static Electricity, Cause of Fires, 161-162
Structural Features, Major, Commercial Oil Deposits and, 28-63, 351
Submarine Loading Line, Launching of, 768-773
Sumatra, Oilfield, Structural Features of, 51
Surveys, New Oil Countries, 737
Synthetic Fuels, Progress in 1927, 643-650
Synthetic Petroleum, 76-77
Synthol, 75-76

Tank Steamers, Causes and Prevention of Fires, 165-166
Tanks, Storage, Causes and Prevention of Fire, 155-160
Testing of Oil, Progress in 1927, 640-643
Tetradecane, Aniline Point of, 713
Physical Properties of, 487
Tetrahydronaphthalene, Aniline Point of, 714

Tetralin, Physical Properties of, 488
Thermometric Lag, Fractional distillation, 95-105
Toluene, distillation of, 99
Oxidation of, 112-113
Toluene-Benzene, Distillation of, 100
"Toluol Benzine," Characteristics of, 112
Oxidation of, 113-114
Tool Joints, Flush Type, 858
n-Tridecane, Physical Properties of, 487
2.2.3-Trimethyl Butane, Physical Properties of, 487
1.1.3-Trimethyl Cyclohexane, Physical Properties of, 488
1.2.4-Trimethyl Cyclohexane, Aniline Point of, 714
Physical Properties of, 488
1.3.4-Trimethyl Cyclohexane, Physical Properties of, 488
1.3.5-Trimethyl Cyclohexane, Physical Properties of, 488
1.2.3-Trimethyl Cyclopentane, Aniline Point of, 714
1.1.2-Trimethyl Cyclopropane, Physical Properties of, 488
1.2.3-Trimethyl Cyclopropane, Physical Properties of, 488
2.6.6-Trimethyldicyclohexane, Physical Properties of, 488
Trimethyl Ethylene, Aniline Point of, 714
2.2.3-Trimethyl Pentane, Physical Properties of, 487
Trinidad, Progress in 1927, 676-679
Tube-Still Distillation, 388-401

Undecane, Aniline Point of, 713
n-Undecane, Physical Properties of, 487
United Kingdom, Motor Cars in, 512
United States, Cracking Industry, Progress in 1927, 610-611
Motor Cars, in, 512
Refinery Technology, Progress in 1927, 537-558
Unsaturateds, Properties of, 467-470

Viscometer, Air-bubble, 429-432
Bingham, 432-433
Viscometry, Experiments in, 402-445

World, Crude Oil Production, 1927, 679-680
World's Oilfields, Disposition of, 29-32

S. F.
S. W.
W. S.
S. W.
P. Do
W. H.
H. S.
V. E.
W. N.
W. Lu
W. S.

Numbe

A-Tub
Aceton
49
Acid
(P
Acid S
Trea
Acid T
(P
Active
9,
Agitato
Air-Ga
Mech
Princ
Relat
Pr
Semi
Alberta
Alcohol
Hy
From
High
Prod
Alsace,
Alumin
30
Amory,
Amylen
Prop
Anthra
Anti-D
Appala
Aromat
Synth
Asphalt
400
Manu
Manu

ABSTRACTS

Arranged by

W. H. THOMAS, A.R.S.M.

Abstractors:

S. F. BIRCH, Ph.D., D.I.C.
R. W. L. CLARKE, B.Sc.
W. S. CLARKE, B.Sc.
S. W. COOKE, B.Sc.
P. DOCKSEY, B.A.
W. H. FORDHAM, M.A., F.G.S.
H. S. GARLICK, B.Sc., A.I.C.
J. E. MARSHALL HALL, A.R.S.M.
W. N. HOYTE, B.A.
W. LITTLEJOHN.
W. S. NORRIS, Ph.D., D.I.C.
R. PITKETHLY, A.I.C.
G. SELL.
H. G. SHATWELL, Ph.D., M.Sc., A.I.C.
E. R. B. SKIPWORTH, B.A.
T. A. SMITH, B.Sc.
R. STANSFIELD, A.M.Inst.C.E.
A. R. STARK, B.Sc., A.I.C.
H. E. TESTER, B.Sc.
W. H. THOMAS, A.R.S.M.
T. WISKIN.

ABSTRACT INDEX

Numbers refer to Abstract numbers. P denotes Abstract of Patent Specification.

A-Tube, 57
Acetone, from Vegetable Matter (P), 498
Acid Resins, Neutral Bitumens from (P), 533
Acid Sludge, Acid Recovery (P), 318
  Treatment of (P), 11
Acid Tar, Sulphuric Acid Recovery (P), 32, 33
Active Carbon, Manufacture of (P), 9, 275
Agitators, Lubricating Oil, 336
Air-Gas Lift, Equipment of, 127
  Mechanical Apparatus, 129
  Principles of, 132
  Relation to Gas-oil Ratio and Production, 130
  Seminole Installations, 135
Alberta, Tar Sands, Fuel Oil from, 711
Alcohols, from Carbon Monoxide and Hydrogen, Catalysts for, 406
  From Vegetable Matter (P), 498
  Higher, Synthesis of, 287
  Production of (P), 490
Alsace, Geophysical Methods in, 600
Alumina Gel, Desulphurising Agent, 301
Amory, Mississippi, Geology of, 243
Amylenes, Polymerisation of, 15
  Properties of, 16
Anthraquinone, Formation of, 163
Anti-Detonators, 548
Appalachian Field, Gas Drilling in, 137
Aromatics, Purification of (P), 411
  Synthesis from Methane, 624
Asphalt, Cold Road Pavement (P), 400, 531
  Manufacture of, 530
  Manufacture of (P), 438
Asphalt, Recent Theories, 14
  Substitute for (P), 401
Auto-Ignition Temperatures, 94
  Pure Compounds, 626
Autoclave, High-pressure, 60
Autoxidation, During Slow Combustion, 349
Azneft, Russia, 1928-29 Programme, 145

Baku, Russia, Asphalt Roads in, 662
Baku-Batoum Pipe-Line, 5
Batoum, Russia, Azneft Trust, 148
  Neftesyndicate Work at, 149
  Oil Moorings at, 3
  Refineries in, 5
Batoum-Baku Pipe-line, 5
Bentonite, Swelling and Control of, 6
Benzene Ethyl-Benzene Mixtures, Partial Vapour Pressures of, 157
Benzene-Toluene Mixtures, Partial Vapour Pressures of, 157
Benzol, Motor Fuel, 299
  Purification of (P), 171, 173, 518
  Sulphur Determination, 58
Benzol-Spirit Mixtures, Water Estimation, 440
Binagadi, Russia, Petroleum at, 2
Bitumen, Natural, Science of, 250
Bituminous Materials, Oils from (P), 483
  Pavement Coating (P), 534
"Black Kontact V.," Reclaiming of, 180
Blümner Cracking Process, 211
  Cracked Benzine from, 606
Bottom Water, Shutting-off of, 364

Bubble Tower (P), 537
Burette Reading Device, 323
Burner, Gas, Principles of, 393
Short-flame, for Pulverised Fuel, 86
Butadiene, Preparation of, 281
Butane, for Gas Enrichment, 21

California, Oil Industry in 1927, 152
Water Strings, Landing of, 366
Carbon and Hydrogen Oxides, Hydrocarbons from (P), 31
Carbon Bisulphide Gasoline Mixtures, Mixing Time, 158
Carbon Monoxide-Air Mixtures, Inflammation Pressures, 210
Carbonisation of Coal, Unsaturateds in Gases, 166
Caspian Sea-Moscow Pipe-line, 620
Cast-Iron Pipe, High-strength Joint for, 85
Catalytic Gas Reactions (P), 374
Catalyst (P), 261
Catalysts, Metallic (P), 276
Caucasus-Emba-Ural, Geological Connection, 244
Cellosolve, 317
Cements, Oil Well, 687
Ceresin, Added Paraffin Determination, 327
Chaildag, Russia, Petroleum at, 1
Clays, Refining Use, 388
Coal, Distillation of (P), 251-260, 262-264, 375-382, 384, 385, 478-481
Gas Production (P), 615
Hydrogenation of (P), 608-614, 616
Low-Temperature Carbonisation of, 474, 475
Motor Fuels from, 248, 249
Oils from, 692
Volatile Determination, 186
Coal Tars, Low-temperature, Cracking of, 246
Colorimeters (P), 396
Combustion, Alkali-metal Compounds Effect, 397
Cooler (P), 538, 540
Corrosion, Chemicals Protect Equipment, 69, 70
Pipe-line, 136
Reagents for, 84
Cracked Vapours, Condensing of (P), 354
Cracking of Petroleum, 353
Advances in, 714
Blümner Process, 211
Catalysts in, 450
Flash System, 358
Japan Earth for, 97
Motor Fuels from, 715
Cracking of Petroleum (P), 99-105, 107-126, 213-237, 355-357, 359-361, 432-460, 550-592, 678-685
Survey of, 451
Vapour-phase, 96, 449
Cracking Stills, Coke Removal (P), 362
Crude Oil, Dehydration of (P), 503
Topped, Fractional Extraction of (P), 504
Cutting Oils, Characteristics and Manufacture, 645

"Daghestan Fires," Gas Source of, 269
Decolourising Agents (P), 523
Decolourising of Petroleum (P), 306, 313
Deepest Wells, Temperatures in, 367
Dehydration of Petroleum (P), 76
Desulphurization of Oil (P), 29, 174
Detonation, Checking of, 448.
Measurement of, 350
Volatility Effect on, 677
Distillation of Petroleum (P), 73, 77, 80, 81, 112, 194-197, 199-201, 293, 315, 337, 412-415, 502, 525, 526, 529, 535, 628-630, 672, 673
Steam Temperature Control, 189
Distillation Test, Vapour Pressure and, 392
Distillates, Chemical Equipment for, 340
Cracked, Acid Treatment of, 417
Hypochlorite Refining, 489
Phenols in, 286
Pressure, Refining of, 170
Refining of, Continuous Plant, 441
Drill, Hammer, 466
Drilling Equipment, American. Application to Foreign Fields, 594
European, 596
Drilling Tools, Cable, A.P.I. Code, 465
Hard Facings for, 368
Dry Cleaning Spirit, 52

Economics of Oil Industry, 694
Economics, Production, 462
Edeleanu Process, Technique and Economics of, 637
Elaterite, Refining of (P), 53
Electricity, Use in Petroleum Industry, 8
Emba, Russia, Prospecting in, 688
Emba-Ural-Caucasus, Geological Connection, 242
Emulsifying Agent (P), 156
Emulsions, Asphaltic (P), 663
Bitumen-pitch Type (P), 319
Bituminous (P), 320, 321
Breaking of, 292
Production of (P), 55

Emulsions, Treating Plant, 621
Treatment of (P), 74, 106, 139, 193, 202, 203, 369, 370, 402-404, 473, 622
Engine, Diesel, Combustion Process, 87
Engines, Diesel, Exhaust Turbo-supercharging Type, 706
Fuel Oil for, 705
Heavy Oil in, 704
High Compression Solid Injection, 542
High-speed, 707
Peak-load Problems, 443
Traction Types, 709
Working Costs, 1926-27, 346
High-speed Compression-ignition Research, 88
Internal-combustion, Charge Production (P), 444
Distillating Device for Lubricant, 347
Fuels for, 703
Heavy Oil (P), 304
Operation of (P), 444, 445
Sulphur in Gasoline Effect, 24, 25
Marine Diesel, 205
Solid Injection, Experiments on, 675
Eötvös Torsion Balance, Evolution of, 373A
Ethane, Decomposition of, 488
Ethyl Alcohol, Binary Azeotropic Mixtures of, 283
Motor Fuel, 702
Ethyl Petrol, 298
Ethylene, Decomposition of, 488
Production of (P), 496

Filter, Gas (P), 82, 92, 544
Filter Stand, Rotary, 62
Filtering Earths, Nature of, 389
Filtering Clays, Testing Apparatus for, 182
Fires, Tank, Extinguishing Apparatus (P), 638
Fishing Operations, 595
Fishing Tools, 134
Cable, A.P.I. Code, 465
Rotary, Improvements in, 469
Flash-Point Determinations, 667
Florida, Oil Possibilities of, 7
Flow Regulators (P), 398
Fractionating Columns, Design of, 329
Fractionating Column, Handles Six Stills, 330
France, Fuel Technology in, 391
Fuel Oils (P), 642
Heavy, Gas from, 36
Fuels, Aviation, Evaluation of in Germany, 700
Gaseous, From Liquid Fuels, 696
Liquid, Other than Petroleum, 141
Production of (P), 418
Storage and Transport of, 710
Synthetic (P), 303
Motor, 28, 703
Anti-knock (P), 95
Benzol as, 299
Characteristics of, 699
Ethyl Alcohol as, 702
From Coal, 248, 249
Mixture Ratio and Knock, 676
(P), 172, 549, 640
Properties Required, 701
Sulphur, Content of, 27
Sulphur Determination, 185
Pulverised, Short-flame Burner for, 86
Solid, Distillation of (P), 251-260, 262-264, 375-382, 384, 385

Gas, Drilling for in Appalachian Area, 137
Natural, Charcoal Test for Gasoline, 181
Engineering in Industry, 463
Fractionation of, 294
Gas Analysis, Apparatus for (P), 280
Hydraulic Lift for Apparatus, 64
Gas Filter (P), 92
Gas Lift, Natural Flow and, 464
Gas-liquid Mixing, Washing Apparatus for (P), 22
Gas Meters, High Pressure, Testing of, 472
Gas Mixtures, Separating of (P), 633
Gas-Oil Ratio, "Pinching" Effect, 131
Gas Testing, New Standard for, 67
Gas Well, Prevention of Freezing of Gas, 133
Gas Wells, Dewatering of, 470
Gaseous Mixtures, Flame Movement in, 351, 446, 447, 547
Gases, Combustion, Hot Desulphurisation of, 18
Contact with Liquids (P), 508, 509
Flow Through Small Orifices, 505
Hydrocarbon Recovery (P), 295
Hydrogen Sulphide Oxidation (P), 273
Inflammable, Recorder for (P), 541
Reaction Products Recovery (P), 274
Solubility in Liquids, 506
Storing and Circulating Apparatus, 68

Gasoline, Absorption Process (P), 510
Corrosion Test, 326
Cracked, Fractionation of, 296
Fractionation of, 296, 297
From Refinery Vapours, 169
Manufacture of (P), 30
Natural, Air Filters in Plants, 168
Chemical Material, 19
Reid Vapour Pressure Test, 507
Treatment of (P), 422
Refining of, Clay Treatment, 513
Sulphur Content, 511
Sulphur Effect on Engines, 24, 25
Supply Survey, 512
Vapour Tension Determination, 56
Volatility Determination, 63
Gasoline-Air Mixtures, Dew Points of, 634
Gasoline-Benzol Mixtures, Valenta Reaction, 666
Gasoline-Carbon Bisulphide Mixtures, Mixing Time, 158
Gasolines, Knocking Characteristics of, 348
Geophysical Methods, Electrical, 140
Geophysics, Magnetic Method in Alsace, 600
Ore Exploration, 602
Radiometric Exploration, 597
Germany, Braunkohle Industry of, 245
Grosny, Russia, Paraffin Works Extension, 619
Record Pump Depth, 268
Work at, 150

Hanover, Earth Temperatures in, 242
Oil Strata, Cause of Decline, 372
Petroleum Distillates, Cracking of, 212
Haut-Rhin Potash Basin, Salt Dome in, 598
Heat Exchange Apparatus (P), 79
Heat Transfer, In Pipes, 543, 674
Heat Transfer (P), 486
Heavy Oils, Sulphur Determination, 325
Heterocyclic Compounds, Cleavage of, 164
Hettenschlag, Alsace, Second Salt Dome at, 603
Hexadecane, Catalytic Cracking of, 165
n-Hexane, Oxidation of, 405
Hydrocarbons, Manufacture of (P), 291, 491-493
Hydrocarbon-Ethylene, Reaction of, 162
Hydrogen-Air Mixtures, Inflammation Mixtures, 210
Hydrogenation of Coal (P), 476, 477, 608-614, 616
Treatment of Products (P), 142
Hydrogenation of Peat, 607
Hydrogenation of Petroleum, 353 (P), 113, 143, 476, 477
Hypochlorite Treatment, Details for, 416

Insulating Oils, Discharge-stability Tests, 647
Isopropylethylene, Conversion to Trimethylethylene, 16
Italy, Petroleum Industry of, 387

Japan, Oil Industry of, 695
Phenols from Crude Oil, 285

Kara-Chkure, Russia, Fountain at, 270
Kerosine, As Reducing Agent, 34
Burning Failure in Presence of Mercaptans, 175
Silica Gel Desulphurising Effect, 175
Khorasan, Turbine Drilling in, 146
Knock, Measuring of, 209
Problems Related to, 546

Lead Sulphide, Treatment in Refining, 17
Lead Tetraethyl, Preparation of, 352
Lignite, Oils from, 692
Liquid-Gas Mixing, Washing Apparatus for (P), 22
Liquid Level, Sounding Apparatus for (P), 138
Lignite Tar Oil, Cracking of, 98
Locomotive, "Paragon" Thermo-electric, 204
Low-Temperature Carbonisation, 474, 475
Lubricants, Manufacture of (P), 48
Lubricating Grease (P), 316
Lubricating Greases, Chemical Control of, 425
Lubricating Oil, Characteristics of, 522
From Mercury Heated Stills, 305
Oxidation Prevention (P), 427, 524
Lubricating Oil (P), 312, 315, 428-436, 656, 659
Recovery of, 37
Solubility in Carbon Dioxide, 426

Lubricating Oil, Treatment of (P), 41-43, 46
Unsaturateds Determination, 669
Used, Reclaiming of (P), 47, 49, 50, 179, 198, 308, 528, 652, 653
Viscosity and Cranking Effort, 644
Lubricating Stock, Clay Applied as Pulp to, 40
Treatment of (P), 51
Lubrication, Molecular Forces in, 521

Maki, Japan, Petroleum Constituents, 161
Medicinal Oils, Water-white, Manufacture of, 39
Melting Oils, Behaviour of, 65
Meters, Liquid Flow (P), 208
Methane, From Water-gas, 12
Methane-Ethane Mixtures, Oxidation of, Partial, 625
Montax Wax (P), 654
Moscow-Caspian Sea Pipe-line, 620
Motor Fuels. See *Fuels, Motor.*

Naftalan, Russia, Work at, 151
Naphtha, Cracked, Refining of, 26
Deodorising of (P), 419
Special, From Pipe Still, 437
Naphthalene, Condensation Products from (P), 494
Neutralisation of Naphthene Oils, 284
Nitrogen, Estimation of in Petroleum, 61
Nitrogen Bases, Determination of in Petroleum, 59

Oil Gas Tars, Light Oil Residues of, 282
Oil Sand, Crude Oil Recovery, 365
Oil Recovery (P), 689
Water Flooding of, Geologic Factors, 373
Oil-Shale, Oils from, 692, 717
Sulphur Distribution, 247
Treatment of (P), 144, 383, 482, 483, 693
Oil Wells, Cementing Bottom Water, 239
Cements for, 687
Deepest, Temperatures in, 367
Shutting-off Bottom Water, 364
Water Intrusion, Depth Location, 238, 471
Olefines, Bromination Rates, 623
Low-boiling Hydrocarbons from (P), 409
Production of (P), 410, 497
Organic Compounds, Catalytic Oxidation of (P), 277
Oxygen Determination, 184
Organic Sulphur Compounds, Decomposition of, 288
Oxidation, Technical Problem, 390

Paraffin-Base Oils, Asphalt Determination, 187
Paraffin Wax, Centrifuging of (P), 648
Manufacture of, 38, 178
Separation of (P), 648, 650, 660
Sweating and Crystallisation Apparatus (P), 307, 311
"Paragon" Thermo-Electric Locomotive, 204
Petroleum Industry, Control of in Foreign Countries, 265
Phenols, Conversion to Hydrocarbons, 13
From Japanese Petroleum, 285
In Petroleum Distillates, 286
Pipe, Cast-iron, High-strength Joint for, 85
Pipe-lines, Coatings, Application of, 468
Corrosion Problem, 136
Temperature Stresses, 467
Pipe Stills, For Pennsylvanian Crude, 331
Distillation with, 190
Pipette, Weighing, 183
Pitch, Composition Improvements (P), 54
Pitches, Stability of, 661
Poland, Natural Gas, Chemical Composition of, 697
Pollution of Seas, Remedy for, 154
Porosity, Acetylene Tetrachloride Method, 604
Preheater (P), 501
Preservation of Mineral Oils (P), 314
Production of Petroleum, Economics of, 462
Propane, Decomposition of, 488
For Gas Enrichment, 21
Propylene, Decomposition of, 488
Prospecting, Rotary Equipment for, 461
Pumps, Deep Well, Long Stroke, 593
Wet Vacuum (P), 90
Pyrometer, Radiation (P), 93

Refinery Power Plant, 335
Refining of Petroleum, Chemical Reactions in, 713
Dry Process, 284
New Process for, 643

Refining of Petroleum (P), 44, 45, 71, 119, 139, 231, 300, 302, 310, 334, 342, 344, 345, 394, 420-424, 428-436, 495, 502, 514-520, 527, 532, 636, 639, 641
Refractory Problem, 341
Refrigeration for, 670
Refractories, Oil Firing of, 176
Residues, Treatment of, 177
Rubber, Petroleum from (P), 10
Rumania, Crude Oils, Chemical Composition of, 627
Russia, Crude Oils, Chemical Composition of, 698
Oil Industry, Seven-hour Day in, 147
Petroleum Industry, 1927-28, 618
Railway Locomotives, Diesel Driven, 708
Royalties in, 267
Tankers from France, 4
Rotary Drilling, Prospecting with, 461

Saturateds, Conversion to Unsaturateds, 408
Semi-Coke, Alkali Action, Hydrocarbons by, 605
Seminole, Oklahoma, Air-gas Lift Installations, 135
Geology of, 241
Sub-Surface Formations, 240
Separators, Centrifugal (P), 343
Silicic Acid Gel, Activation of (P), 155
Slack Wax, Treating of (P), 657, 658
Sludge Oil, Acid Recovery, 272
Smackover, Crude Oil, Products from, 499
Sodium-Potassium Alloy, Action on Petroleum, 159, 160
Soils, Corroding Action of, 363
Solid Fuels. See *Fuels, Solid.*
Solidifying Oils, Behaviour of, 65
Solids, Dispersion in Liquids (P), 487
Soluble Oils, Manufacture of (P), 46
Spirit, Dry Cleaning, 52
Steel, Strength at High Temperatures, 83
Stellarene, Motor Fuel, 23
Still, Counter flow (P), 332 (P), 338, 339
Steam, Application to fat Oil Distillation, 635
Stills, Cylindrical, 442
Vapour, Mercury Heated, 305
Sucker Rods, Safety Head for, 128
Sulphur, Determination of, 322, 325
Sulphur Dioxide, Liquid, Refining with (P), 35, 423
Sunset Field, California, Geology of, 371
Sweden, Oil-shale Distillation, 716

Tank Cars, Testing of Valves, 271
Tanks, Oil, Fitting Pumps (P), 75
Temperature Measurements, 328
Oil Storage (P), 671
Tar Separators, Automatically Cleaned (P), 72
Tars, Neutral Oils Separation (P), 484
Viscosity Changes, 188
Temperature Changes, Automatic Warning Device (P), 80
Temperature Control (P), 206, 207
Separating Towers (P), 536
Temperature Controlling Device (P), 395
Terrestrial Radioactivity, Measurement of, 691
Texas, Crude Oils, Topped, Cracking of, 500
Thermocouples, Boiling-point Apparatus for Calibrating, 66
Thermocouples (P), 278, 399
Transformer Oils, Oxidation Prevention (P), 427
Sludge Prevention (P), 651
Used, Reclaiming of (P), 655
Used, Research on, 646
Tubing Catchers (P), 690

United States, Oil Production Outlook, 1928, 153
Unsaturateds, Manufacture of (P), 167, 289

Vaporiser (P), 539
Vapour Pressure, Distillation Test and, 392
Vapour Recovery Systems, Factors Affecting Efficiency, 20
Vapours, Recovery of (P), 632
Venezuela, Oilfields of, 601
Petroleum Industry of, 386
Vienna, Oil Prospecting, Geophysical Methods, 599
Viscometer, Micro Saybolt, 439
Precision Pipette Type, 668
Viscometers, Liquid Standards, 324
Viscosity, Meter Device for (P), 91
Temperature Dependence, 664, 665
Voznisensky, Russia, Gas Well at, 631

Water Cooling Problems, 686
Water Flooding of Sands, Geologic Factors, 373
Water Softening, Barium Salts for, 279
Water-Gas, High-pressure Synthesis, Catalysts in, 407
Water-Gas, Higher Hydrocarbon Synthesis, 290
Methane from, 12
Welds, Testing of, Magnetic, 545
Wells, Sounding Apparatus for Liquid Level (P), 138
Wet Vacuum Pump (P), 90